

Page 1 of 6 SDS-026

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 3.1 SDS Revision Date: 2/8/2016 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **OPI DRIP DRY NAIL POLISH DRYER** 12 Chemical Name NA 1.3 Synonyms NA 1.4 Trade Names AL 711, AL 712, AL 714, AL 715 1.5 Product Use: Professional or Sundry Use Only 1.6 Distributor's Name: **OPI Products**, Inc. 1.7 Distributor's Address: 13034 Saticoy Street, No. Hollywood, CA 91605 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) 1.9 Business Phone / Fax: +1 (818) 759-2400 / +1 (818) 759-5776 2. HAZARDS IDENTIFICATION Hazard Identification: 2.1 This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). DANGER! HIGHLY FLAMMABLE LIQUID AND VAPOR. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Classification: Flam. Liq. 2; Aquatic Chronic 2 Hazard Statements (H): H225 - Highly flammable liquid and vapor. H410 - Very toxic to aquatic life with long lasting effects. Precautionary Statements (P): P210 - Keep away from heat/sparks/open flame/hot surfaces - No Smoking. P273 - Avoid release to the environment P321 - For specific first aid treatment (See Section 4 of this Safety Data Sheet). P391 - Collect spillage. P403+P235 - Store in a wellventilated place. Keep cool. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m<sup>3</sup>) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-STEL RTECS No. EINECS No. тιν STEL PFI IDI H PEAK OTHER CHEMICAL NAME(S) CAS No. % TWA STEL 107-46-0 JM9237000 203-492-7 60-100 NA NA NF NF NF NA NA NA HEXAMETHYLDISILOXANE Flam. Liq. 2, Aquatic Acute 1, Aquatic Chronic 2; H225, H400, H410 63148-62-9 JT6484500 213-915-7 NA NA NF NF NF NA NA NA 7-13 DIMETHICONE NA NA NF NF NF NA NA NA SIMMONDSIA CHINENSIS 90045-98-0 NA 289-964-3 0.1-1 (JOJOBA) SEED OIL 59-02-9 DJ2900000 200-412-2 0.1-1 NA NA NF NF NF NA NA NA TOCOPHEROL 4. FIRST AID MEASURES DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control First Aid: 4.1 Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If irritation persists, consult a physician. Skin: In case of skin irritation, immediately wash skin with soap and copious amounts of water. Do not wear contaminated clothing until after it has been properly cleaned. If irritation persists, consult a physician. Inhalation: If irritation occurs remove affected individual to fresh air. Under extreme conditions, if breathing stops, perform artificial respiration and seek immediate medical attention. 4.2 Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous system depression. Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. Eyes: Skin: May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact. Inhalation: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors in excess of the levels listed in Section 3 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea). 4.3 Symptoms of Overexposure: Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering 4.4 Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas. 4.5 Chronic Health Effects: None known. 4.6 Target Organs: Eyes, Skin



Page 2 of 6 SDS-026

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 3.1 SDS Revision Date: 2/8/2016 FIRST AID MEASURES – cont'd Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the 4.7 HEALTH 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). FLAMMABILITY 3 **PHYSICAL HAZARDS** 0 **PROTECTIVE EQUIPMENT** В EYES SKIN 5. FIREFIGHTING MEASURES DANGER! HIGHLY FLAMMABLE LIQUID AND VAPOR! Keep away from heat, lit cigarettes, 5.1 Fire & Explosion Hazards: sparks & open flame. Keep container closed. 5.2 Extinguishing Methods: CO<sub>2</sub>, Halon (if permitted), Dry Chemical, Foam, as authorized. 53 Firefighting Procedures: This product is a Class IB flammable liquid. When involved in a fire, this product will ignite readily and decompose to produce carbon oxides. Vapors of this product are heavier than air and may travel to a source of ignition and flash back to a leaking or open container. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. HazChem Code: 3(Y)E 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective 6.1 Spills Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 71 Work & Hygiene Practices: Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Avoid breathing mists or sprays of this product. Do not eat, drink or smoke while handling product. 7.2 Storage & Handling: Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed when not is use. Empty container may contain residual amounts of this product. Therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (See Section 10). Special Precautions: 7.3 Store in original container. Do not store where temperatures can exceed 120 °F. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION ACGIH NOHSC OSHA OTHER Exposure Limits: 8.1 ppm (mg/m<sup>3</sup>) ES ES ES STEL STEL IDLH CHEMICAL NAME(S) тιν TWA STEI PFAK PFI NA NA NA NF NF NF NA NA NA 8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Controls: Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear neoprene or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada or the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.



Page 3 of 6 **SDS-026** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.1

SDS Revision Date: 2/8/2016

### 9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Appearance:	Clear liquid
9.2	Odor:	Characteristic odor
9.3	Odor Threshold:	NE
9.4	pH:	ND
9.5	Melting Point/Freezing Point:	ND
9.6	Initial Boiling Point/Boiling Range:	212 °F
9.7	Flashpoint:	- 6 °C (20 °F)
9.8	Upper/Lower Flammability Limits:	0.7 - ND
9.9	Vapor Pressure:	ND
9.10	Vapor Density:	NA
9.11	Relative Density:	0.78
9.12	Solubility:	Immiscible with water
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	ND
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	< 500 cPs
9.17	Other Information:	NA
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable under ambient conditions when stored properly. (See Section 7).
		Oxides of carbon and nitrogen.
0.2	Hazardous Decomposition Products:	
	Products: Hazardous Polymerization:	
10.3	Products:	Will not occur.
10.3 10.4	Products: Hazardous Polymerization:	Will not occur.     Exposure or contact with extreme temperatures or incompatible materials.
10.2 10.3 10.4 10.5	Products: Hazardous Polymerization: Conditions to Avoid:	Will not occur.
10.3 10.4	Products: Hazardous Polymerization: Conditions to Avoid:	Will not occur.   Exposure or contact with extreme temperatures or incompatible materials.   Strong oxidizers, acids and alkalis.
10.3 10.4 10.5	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances:	Will not occur.   Exposure or contact with extreme temperatures or incompatible materials.   Strong oxidizers, acids and alkalis.   11. TOXICOLOGICAL INFORMATION
10.3 10.4 10.5 11.1	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances: Routes of Entry:	Will not occur.   Exposure or contact with extreme temperatures or incompatible materials.   Strong oxidizers, acids and alkalis.   Interview of the extreme temperatures or incompatible materials.   Strong oxidizers, acids and alkalis.   Interview of the extreme temperatures or incompatible materials.   Interview of the extreme temperature of the extreme temperatematerial of the extreme temperature of the extreme temperatemater
10.3 10.4 10.5 11.1	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances:	Will not occur.   Exposure or contact with extreme temperatures or incompatible materials.   Strong oxidizers, acids and alkalis.   11. TOXICOLOGICAL INFORMATION
10.3 10.4 10.5 11.1	Products: Hazardous Polymerization: Conditions to Avoid: Incompatible Substances: Routes of Entry:	Will not occur.   Exposure or contact with extreme temperatures or incompatible materials.   Strong oxidizers, acids and alkalis.   Interview of the extreme temperatures or incompatible materials.   Strong oxidizers, acids and alkalis.   Interview of the extreme temperatures or incompatible materials.   Interview of the extreme temperature temperature.   Interview of the extreme temperature.   Interview of the extreme temperature.



Page 4 of 6 **SDS-026** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.1

SDS Revision Date: 2/8/2016

		14. TRANSPORTATION INFORMATION
		, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information /ICAO, IMDG and the CTDGR.
4.1	49 CFR (GND):	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY (IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D – until 01/01/2021
4.2	IATA (AIR):	CONSUMER COMMODITY, 9, ID8000 (IP VOL ≤ 0.5 L)
4.3	IMDG (OCN):	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY (≤ 1.0 L)
14.4	TDGR (Canadian GND):	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY (IP VOL ≤ 1.0 L) UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY (≤ 1.0 L) UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY (IP VOL ≤ 1.0 L) "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (IP VOL ≤ 1.0 L) UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY
4.5	ADR/RID (EU):	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY (IP VOL $\leq 1.0$ L)
4.6	SCT (MEXICO):	UN1993, LIQUIDOS INFLAMABLES, N.E.P. (DISILOXANO, DIMETHICONA),3, II, CANTIDAD LIMITADA (IP VOL ≤1.0 L)
4.7	ADGR (AUS):	UN1993, FLAMMABLE LIQUID, N.O.S. (DISILOXANE, DIMETHICONE), 3, II, LTD QTY (IP VOL ≤ 1.0 L)
* Thi	s product may also be shippe	d as an Excepted Quantity (Inner Package Volume ≤ 30 mL, Total Quantity ≤ 500 mL per Outer Package)
		15. REGULATORY INFORMATION
5.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.
5.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
5.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
5.4	CERCLA Reportable Quantity (RQ):	NA
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). <u>Clean Water Act:</u> None of the chemicals in this product are listed as Hazardous substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.
5.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS B2 (Flammable)
5.7	State Regulatory Information:	Hexamethyldisiloxane is found on the following state criteria list: New Jersey Right-to-Know List (NJ), and Pennsylvania Right-to-Know List (PA). Dimethicone is found on the following state criteria list: Massachusetts Hazardous Substances List (MA), NJ, and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: <u>Hexamethyldisiloxane</u> : Flammable (F); Environmental danger (N). <u>Risk Phrases</u> (R): 11 – Highly flammable. <u>Safety Phrases</u> (S): 16 - Keep away from sources of ignition - No smoking.



Page 5 of 6 **SDS-026** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.1

SDS Revision Date: 2/8/2016

		16. OTHER INFO	ORMATION					
16.1	Other Information:	DANGER! HIGHLY FLAMMABLE LIQUID AND VAPOR. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Use only as directed. Discontinue use if irritation develops. Keep away from heat/sparks/open flame/hot surfaces – No Smoking. Avoid release to the environment For specific first aid treatment (See Section 4 of this Safety Data Sheet). Collect spillage. Store in a well-ventilated place. Keep cool. KEEP OUT OF REACH OF CHILDREN.						
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.						
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.						
16.4	Prepared for:	OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com	$\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting					



Page 6 of 6 **SDS-026** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.1

SDS Revision Date: 2/8/2016

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following: **GENERAL INFORMATION:** HAZARD RATINGS:

#### CAS No. Chemical Abstract Service Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists				
TLV	TLV Threshold Limit Value				
OSHA U.S. Occupational Safety and Health Administration					
PEL	Permissible Exposure Limit				
IDLH Immediately Dangerous to Life and Health					

#### FIRST AID MEASURES:

Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood CPR and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

#### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

#### PERSONAL PROTECTION RATINGS:

Α					G				
в					н	8	(EV)	E T	
С			E 1		I		(EV)		
D	B				J	0		Î	
Е					к		(EV)		
F					X			pervisor o Iling direct	
Safety Glasses		Splash	Goggles		e Shield &		Glove	es	
Boots		Syntheti	c Apron	Protective Clothing & Full Suit		ing	Dust Respirator		

### **OTHER STANDARD ABBREVIATIONS:**

**Full Face Respirator** 

NA	Not Available				
NR	NR No Results				
NE	NE Not Established				
ND	ND Not Determined				
ML	Maximum Limit				
SCBA	SCBA Self-Contained Breathing Apparatus				

Full Face

Respirator

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

Dust & Vapor Half-

Mask Respirator

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature							
LEL   Lower Explosive Limit - lowest percent of vapor in air, by volume, tha explode or ignite in the presence of an ignition source     UEL   Upper Explosive Limit - highest percent of vapor in air, by volume, tha explode or ignite in the presence of an ignition source							

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			
ACD	Acidic			
ALK	Alkaline			
COR	Corrosive			
W	Use No Water			
ох	Oxidizer			
TREFOIL	Radioactive			



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals		
	S		
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal		
ppm	Concentration expressed in parts of material per million parts		
TD <sub>Io</sub>	Lowest dose to cause a symptom		
TCLo	Lowest concentration to cause a symptom		
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects		
TC, TC <sub>o</sub> , LC <sub>lo</sub> , & LC <sub>o</sub>			
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TLm	Median threshold limit		
log Kow or log Koc	Coefficient of Oil/Water Distribution		

#### **REGULATORY INFORMATION:**

WHMIS	IS Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
тс	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	DSL Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

$\bigcirc$	۲			Ð	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### EC (67/548/EEC) INFORMATION:

Ðſ

Airline Hood/Mask

or SCBA

¶. <mark>*●</mark>		×	*		<b>®</b> X	×	×
с	E	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			$\diamondsuit$		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment