SAFETY DATA SHEET

Bain de Terre Keratin Phyto Protein Conditioner



1/10

Section 1. Identification

: Bain de Terre Keratin Phyto Protein Conditioner
: Not available.
: Hair Care Product
: Use only as directed on the product label.
: Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.com
: 5/7/2015.
: (800) 584-8038 [24 Hours]
: (203) 656-7859 [8:30 a.m 5:00 p.m.]
: Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours]
: Liquid.

Section 2. Hazards identification

Emergency overview

JCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED RE FOLLOWED.
: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
: Not classified.
Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 91.8%
: No signal word.
: No known significant effects or critical hazards.
: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
: Not applicable.
: None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Name	%	CAS number
Siloxanes and Silicones, di-Me	1.60	63148-62-9
glycerol	1.50	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures		
Eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. May cause eye irritation. 	
Inhalation	: Move affected person to fresh air.	
Skin contact	: Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. Discontinue use of product Apply cold compresses to affected areas to relieve any discomfort Seek medical attention if irritation persists.	
Ingestion	: Have conscious person drink several glasses of water or milk. Do not induce vomiting. Get medical attention if adverse health effects persist or are severe.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	: Treat symptomatically.	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: Use suitable protective equipment (section 8).	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	7524B

 Date of issue/Date of revision
 : 5/7/2015.
 Date of previous issue
 : No previous validation.
 Version
 : 1

Section 5. Fire-fighting measures

Special protective : Fire-fig equipment for fire-fighters appara

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Dilute with water and mop up if water-soluble.
Large spill	: Stop leak if without risk. Contain and collect spillage with non-combustible, absorbent
	material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for
	disposal according to local regulations (see Section 13). Note: see Section 1 for
	emergency contact information and Section 13 for waste disposal

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.

Section 8. Exposure controls/personal protection

United States

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 2/2013). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust

7524B

Section 8. Exposure controls/personal protection

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Wear suitable gloves.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid. [Viscous liquid.]
Color	: Off-white.
Odor	: Fragrance-like.
рН	: 3 to 4.5
Boiling point	: >100°C (>212°F)
Flash point	: Closed cup: Not applicable.
Relative density	: 0.99 to 1.1

Section 10. Stability and reactivity

Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Incompatible materials	: No specific data.
Conditions to avoid	: No specific data.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Chemical stability	: The product is stable.
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

Section 11. Toxicological information

United States

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Siloxanes and Silicones, di- Me	Eyes - Mild irritant	Rabbit	-	1 hours 100 milligrams	-
	Eyes - Mild irritant	Rabbit	-	24 hours 100 microliters	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 microliters	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 microliters	-
glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Section 11. Toxicological information

Not available.

Specific target organ toxicit Not available.	ty (repeated exposure)
Aspiration hazard		
Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects	5	
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the phy	<u>sic</u>	cal, chemical and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	1	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effect	:ts	and also chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects		Not available.
Potential chronic health effe	ect	S
Not available.		
General	1	No known significant effects or critical hazards.
Carcinogenicity	1	No known significant effects or critical hazards.
Mutagenicity	1	No known significant effects or critical hazards.
Teratogenicity	1	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxic	ity	
Acute toxicity estimates		
Not available.		

Not available.

Section 12. Ecological information

United States

Toxicity

Product/ingredient name	Result	Species	Exposure
Siloxanes and Silicones, di- Me	Acute LC50 44.5 ppm Fresh water	Daphnia - Daphnia magna - Instar	48 hours
-	Acute LC50 3160 μg/l Fresh water	Fish - Ictalurus punctatus	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
glycerol	-1.76	-	low

Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG* : Packing group

Section 15. Regulatory information

U.S. Federal regulations	:	-(4-tert-b	outylbenzyl)pr	opionalde	ehyde; cinnam	aldehyde; Silo	nal; α-hexylcinr oxanes and Sili	
		TSCA 8	(a) CDR Exer	npt/Parti	al exemption	: Not determin	ned	
		United \$	States invent	tory (TSC	CA 8b): Not de	termined.		
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not liste	d					
Clean Air Act Section 602 Class I Substances	1	Not liste	d					
Clean Air Act Section 602 Class II Substances	:	Not liste	d					
DEA List I Chemicals (Precursor Chemicals)	:	Not liste	d					
DEA List II Chemicals (Essential Chemicals)	:	Not liste	d					
SARA 302/304								
Composition/information	on	<u>ingredie</u>	<u>nts</u>					
No products were found.								
SARA 304 RQ	:	Not app	icable.					
<u>SARA 311/312</u>								
Classification	:	Not app	icable.					
Composition/information	on	<u>ingredie</u>	<u>nts</u>					
Name			%	Fire hazard	Sudden release of	Reactive	Immediate (acute)	Delayed (chronic)

Name	70	hazard	release of pressure	Reactive	(acute) health hazard	(chronic) health hazard
Siloxanes and Silicones, di-Me	1.60	No.	No.	No.	Yes.	No.
glycerol	1.50	No.	No.	No.	Yes.	No.

State regulations

Massachusetts	: The following components are listed: ISOPROPYL ALCOHOL; GLYCERINE MIST
New York	: None of the components are listed.
New Jersey	 The following components are listed: ISOPROPYL ALCOHOL; 2-PROPANOL; GLYCERIN; 1,2,3-PROPANETRIOL
Pennsylvania	: The following components are listed: 2-PROPANOL; 1,2,3-PROPANETRIOL

California Prop. 65

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product is not known to the State of California to cause cancer. Not available.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Section 15. Regulatory information

occurrent rentrogun				
Stockholm Convention on	Persistent Organic Pollutants			
Not listed.				
Rotterdam Convention on	Prior Inform Consent (PIC)			
Not listed.				
UNECE Aarhus Protocol or	n POPs and Heavy Metals			
Not listed.				
<u>Canada</u>				
WHMIS (Canada)	: Class D-2B: Material causing other toxic effects (Toxic).			
Canadian lists				
Canadian NPRI	: The following components are listed: Isopropyl alcohol			
CEPA Toxic substances	: None of the components are listed.			
Canada inventory	: Not determined.			
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.				

Mexico


Classification



Section 16. Other information

÷

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

7524	3
------	---

Section 16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Date of printing	: 5/7/2015.
Date of issue/Date of revision	: 5/7/2015.
Date of previous issue	: No previous validation.
Version	: 1
References	: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.