SAFETY DATA SHEET

BDT Argan Oil Smooth & Sleek Conditioner



1/10

Section 1. Identification

Product Name	: BDT Argan Oil Smooth & Sleek Conditioner
Other means of identification	: Not available.
Recommended use	: Hair Care Product
Restrictions on use	: Use only as directed on the product label.
Manufacturer	: Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.com
Validation date	: 5/6/2015.
In case of emergency	: (800) 584-8038 [24 Hours]
<u>Telephone number</u>	: (203) 656-7859 [8:30 a.m 5:00 p.m.]
Transportation Emergency	: Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours]
Product type	: Liquid.

Section 2. Hazards identification

тог

Emergency overview

NOT EXPECTED TO PROD INSTRUCTIONS FOR USE	UCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED ARE FOLLOWED.	
OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and availa for employees and other users of this product.	
Classification of the substance or mixture	: Not classified.	
	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 91.4%	
GHS label elements		
Signal word	: No signal word.	
Hazard statements	: No known significant effects or critical hazards.	
Precautionary statements		
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.	
Prevention	: Not applicable.	
Response	: Not applicable.	
Storage	: Not applicable.	
Disposal	: Not applicable.	
Hazards not otherwise classified	: None known.	

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

United States

Name	%	CAS number
hexadecan-1-ol	4.35	36653-82-4
Siloxanes and Silicones, di-Me	2.00	63148-62-9
decamethylcyclopentasiloxane	1.40	541-02-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. May cause eye irritation.	
Inhalation	: Move affected person to fresh air.	
Skin contact	: Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. Discontinue use of product Apply cold compresses to affected areas to relieve any discomfort Seek medical attention if irritation persists.	
Ingestion	: Have conscious person drink several glasses of water or milk. Do not induce vomiting. Get medical attention if adverse health effects persist or are severe.	
Indication of immediate me	cal attention and special treatment needed, if necessary	
Notes to physician	: Treat symptomatically.	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: Use suitable protective equipment (section 8).	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides

Section 5. Fire-fighting measures

Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protec	<u>tiv</u>	e equipment and emergency procedures		
For non-emergency personnel	:	 No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. 		
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
Methods and materials for co	nt	ainment and cleaning up		
Small spill	:	Stop leak if without risk. Dilute with water and mop up if water-soluble.		
Large spill	:	Stop leak if without risk. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Note: see Section 1 for emergency contact information and Section 13 for waste disposal.		

Section 7. Handling and storage

Precautions for safe handling

recould for our of the full and			
Protective measures	:	: Put on appropriate personal protective equipment (see Section 8).	
Advice on general occupational hygiene	-	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.	
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink.	

Section 8. Exposure controls/personal protection

United States					
Control parameters					
Occupational exposure lin	<u>its</u>				
None.					
Appropriate engineering controls	: Good general vent contaminants.	ilation should be s	sufficient to control worke	r exposure to airbo	orne
Environmental exposure controls	they comply with th cases, fume scrubl	ie requirements o bers, filters or eng	rocess equipment should f environmental protectio gineering modifications to ns to acceptable levels.	n legislation. In so	me
		7897			
Date of issue/Date of revision	: 5/6/2015. Date of	of previous issue	: No previous validation.	Version : 1	3/10

Section 8. Exposure controls/personal protection

Individual protection measures

Hygiene measures	 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. 	
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.	
Skin protection		
Hand protection	: Wear suitable gloves.	
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.	

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid. [Viscous liquid.]
Color	: Off-white.
Odor	: Fragrance-like.
рН	: 3 to 4.5
Boiling point	: >100°C (>212°F)
Flash point	: Closed cup: Not applicable.
Relative density	: 0.99 to 1.1

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.

Section 10. Stability and reactivity

Incompatible materials

: No specific data.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

United States

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
hexadecan-1-ol	LD50 Oral		5 g/kg	-
decamethylcyclopentasiloxane	LD50 Oral	Rat	>24134 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
hexadecan-1-ol	Eyes - Mild irritant	Rabbit	-	82 milligrams	-
	Skin - Mild irritant	Guinea pig	-	100 Percent	-
	Skin - Moderate irritant	Guinea pig	-	24 hours 100	-
				milligrams	
	Skin - Mild irritant	Human	-	72 hours 75	-
				milligrams	
				Intermittent	
	Skin - Severe irritant	Human	-	0.2 Percent	-
	Skin - Mild irritant	Man	-	48 hours 50	-
				milligrams	
	Skin - Severe irritant	Rat	-	24 hours 100	-
				milligrams	
	Skin - Mild irritant	Rabbit	-	24 hours	-
				2600	
				milligrams	
	Skin - Severe irritant	Rabbit	-	24 hours 100	-
				milligrams	
Siloxanes and Silicones, di-	Eyes - Mild irritant	Rabbit	-	1 hours 100	-
Ме				milligrams	
	Eyes - Mild irritant	Rabbit	-	24 hours 100	-
		Data		microliters	
	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
	Ohio Mildimitent	Dahhit		microliters	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
de serve ether de velere ente elle vene	Europ Mild imiterat	Dahhit		microliters	
decamethylcyclopentasiloxane	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Chip Mild imitant	Dabbit		milligrams	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

7897

Date of previous issue

5/10

Section 11. Toxicological information

	J			
Not available.				
Teratogenicity Not available.				
Specific target organ toxicity Not available.	<u>/ (single exposure)</u>			
Specific target organ toxicity Not available.	<u>/ (repeated exposure)</u>			
Aspiration hazard Not available.				
Information on the likely routes of exposure	: Not available.			
Potential acute health effects				
Eye contact	: No known significant effects or critical h	azards.		
Inhalation	: Exposure to decomposition products ma be delayed following exposure.	ay cause a health hazard. Serious effects may		
Skin contact	: No known significant effects or critical h	azards.		
Ingestion	: No known significant effects or critical h	azards.		
Symptoms related to the physical sector of th	sical, chemical and toxicological charact	teristics		
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			
Delayed and immediate effect	s and also chronic effects from short an	<u>id long term exposure</u>		
Short term exposure				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
<u>Long term exposure</u>				
Potential immediate effects	: Not available.			
Potential delayed effects	: Not available.			
Potential chronic health effe	<u>cts</u>			
Not available.				
General	: No known significant effects or critical h	azards.		
Carcinogenicity	: No known significant effects or critical h	azards.		
Mutagenicity	: No known significant effects or critical h	azards.		
Teratogenicity	: No known significant effects or critical hazards.			
Developmental effects : No known significant effects or critical hazards.				
Fertility effects	: No known significant effects or critical h	azards.		
Numerical measures of toxici	<u>ty</u>			
Acute toxicity estimates				
Route		ATE value		
Oral		9839.1 mg/kg		
<u>L</u>	7897	1		

Date of issue/Date of revision

Section 12. Ecological information

United States

Toxicity

Product/ingredient name	Result	Species	Exposure
Siloxanes and Silicones, di- Me	Acute LC50 44.5 ppm Fresh water	Daphnia - Daphnia magna - Instar	48 hours
	Acute LC50 3160 μg/l Fresh water	Fish - Ictalurus punctatus	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
decamethylcyclopentasiloxane	8.023	7060	high

Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG* : Packing group

Section 15. Regulatory information

I.S. Federal regulations	:	TSCA 8(a) PAIR: d	lecamethylc	yclopentasilo	xane; Siloxane	es and Silicones	s, di-Me
		TSCA 8(a) CDR Ex	xempt/Parti	al exemption	n: Not determi	ned	
		United States inve	entory (TSC	CA 8b): Not de	etermined.		
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not listed					
Clean Air Act Section 602 Class I Substances	:	Not listed					
Clean Air Act Section 602 Class II Substances	:	Not listed					
DEA List I Chemicals (Precursor Chemicals)	:	Not listed					
DEA List II Chemicals (Essential Chemicals)	:	Not listed					
<u>SARA 302/304</u>							
Composition/information	on ir	ngredients					
No products were found.							
SARA 304 RQ	:	Not applicable.					
SARA 311/312							
Classification	:	Not applicable.					
Composition/information	on ir	ngredients					
Name		%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
hexadecan-1-ol		4.35	No.	No.	No.	Yes.	No.
			1	1	1	1	

State regulations

Siloxanes and Silicones, di-Me

decamethylcyclopentasiloxane

Massachusetts	: The following components are listed: ISOPROPYL ALCOHOL
New York	: None of the components are listed.
New Jersey	: The following components are listed: ISOPROPYL ALCOHOL; 2-PROPANOL
Pennsylvania	: The following components are listed: 2-PROPANOL

No.

Yes.

No.

No.

No.

No.

Yes.

Yes.

No.

No.

2.00

1.40

California Prop. 65

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product is not known to the State of California to cause cancer.

Not available.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

7897

Section 15. Regulatory information

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.


Not listed.		
<u>Canada</u>		
WHMIS (Canada)	:	Class D-2B: Material causing other toxic effects (Toxic).
<u>Canadian lists</u>		
Canadian NPRI	:	The following components are listed: Isopropyl alcohol
CEPA Toxic substances	:	None of the components are listed.
Canada inventory	:	Not determined.
		ed in accordance with the hazard criteria of the Controlled Products Regulations information required by the Controlled Products Regulations.
<u>Mexico</u>		

Classification



Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Section 16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Date of printing	: 5/6/2015.
Date of issue/Date of revision	: 5/6/2015.
Date of previous issue	: No previous validation.
Version	: 1
References	: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.