



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: 01

# SAFETY DATA SHEET

Date: 6-16-2015

Page 1 of 8

*EzFlow Primer*

## SECTION 1. IDENTIFICATION

*PRODUCT DESCRIPTION*

EZFLOW PRIMER

*ITEM NUMBER*

42206, 60241 (30-3000); Found in Kit# 39064, 42040, 60256, 59000

*PRODUCT TYPE*

Finished Good

*RECOMMENDED USE*

Personal Care Product

*USES ADVISED AGAINST*

All other uses

*MANUFACTURER*

American International Industries  
2220 Gaspar Ave  
Los Angeles, CA 90040  
Phone: (323) 728-2999

*EMERGENCY PHONE*

CHEM-TEL: 1-(800)-255-3924

## SECTION 2. HAZARD IDENTIFICATION

<i>HAZARD CLASS</i>	<i>CATEGORY</i>	<i>PICTOGRAM</i>
8	3	
Signal word	Danger!	
Hazard Statement	Corrosive. Causes severe burns to skin, eyes, respiratory tract, and gastrointestinal tract. Material is extremely destructive to all body tissues. May be fatal if swallowed. Harmful if inhaled.	
Hazard Codes	H301: Toxic if Swallowed	



SAFETY DATA SHEET

EzFlow Primer

	H314: Causes severe skin burns and eye damage
Precautionary Statements	P102 Keep out of reach of Children P260: Do not breathe dust/fumes/gas/mist/vapours/spray P264: Wash hands thoroughly after handling P280: Wear protective gloves/protective clothing/eye protection/face protection
Other Hazards	HMIS: Health: 3 Flammability: 0 Physical hazard: 2

SECTION 3. COMPOSITION

This product does not contain hazardous chemicals according to the OSHA Hazardous Communication Standard 29 CFR §1910.1200.

COMPOSITION OF HAZARDOUS CHEMICALS			
Chemical Name	INCI Name	CAS No.	% w/w
Methacrylic Acid	Methacrylic Acid	79-41-4	100.00 %

SECTION 4. FIRST AID MEASURES

GENERAL ADVISE

Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician.

ROUTES OF ENTRY

EYE CONTACT	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Immediately call a POISON CENTER or doctor/physician.
SKIN CONTACT	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
INHALATION	Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
INGESTION	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

MOST IMPORTANT SYMPTOMS/EFFECTS ACUTE OR DELAYED

Causes severe skin burns and eye damage

NOTES TO PHYSICIAN



**SAFETY DATA SHEET**

*EzFlow Primer*

Treat symptomatically

**SECTION 5. FIRE-FIGHTING MEASURES**

*FLAMMABILITY*

Non flammable

*FLASH POINT*

>200°C

*EXTINGUISHING MEDIA*

Dry powder, carbon dioxide, foam, water spray, sand

*SPECIAL HAZARDS*

Thermal decomposition generates: Corrosive vapors.

*SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS*

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

*PERSONAL PRECAUTIONS*

Safety glasses. Protective clothing. Gloves. Face shield.

*ADVISE FOR EMERGENCY RESPONDERS*

Equip cleanup crew with proper protection. Evacuate unnecessary personnel. Ventilate area.

*ENVIRONMENTAL PRECAUTIONS*

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

*METHODS OF SPILL CONTAINMENT AND CLEAN-UP*

Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii.

Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. For large spills call response team and notify appropriate state/local agencies. Immediately notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

**SAFETY DATA SHEET***EzFlow Primer***SECTION 7. HANDLING AND STORAGE***WORK & HYGIENE PRACTICES*

Avoid prolonged contact with the product. Provide good ventilation in process area to prevent formation of vapor. Do not breath mist, vapors, or spray. Wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product.

*STORAGE & HANDLING*

Comply with applicable regulations. Store to minimize or avoid dust generation. Store in clean, dry locations. Avoid damaging container. Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore handle empty container with care.

Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate, such as strong acids.

**SECTION 8. EXPOSURE CONTROL/ PERSONAL PROTECTION***EXPOSURE GUIDELINES*

Household: Exposure guidelines are not relevant when the product is used as directed in a household setting. Wear long sleeve clothing to prevent skin contact.

Industrial: When working with large quantities of the product, make sure an eye wash station, sink or washbasin is available in the event there is exposure to eyes. Wear long sleeve clothing to prevent skin contact.

*VENTILATION*

When working with large quantities of the product, provide adequate ventilation to meet exposure limit requirements. An exhaust filter system may be required to avoid environmental contamination.

*RESPIRATORY PROTECTION*

When established airborne exposure limits are surpassed, wear NIOSH/OSHA approved respiratory equipment for dust. Determine the appropriate type equipment for specific applications by consulting the respirator manufacturer. Observe the respiratory use limitations specified by NIOSM/OSHA or the manufacturer. In addition, respiratory protection programs must comply with 29CFR1910.134.

Engineering or administrative controls should be implemented to reduce exposure.

*EYE PROTECTION*

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. Safety glasses equipped with side shields or dust tight goggles. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

*HAND PROTECTION*

Leather or other impervious gloves. If necessary refer to U.S. OSHA 1910.138, the appropriate standards for Canada or the E.C. member states.

**SAFETY DATA SHEET***EzFlow Primer***BODY PROTECTION**

Wear long sleeve clothing to prevent skin contact. No special body protection is required for this product under typical use and handling.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Liquid
Color	Hazy clear
Odor	Characteristic
pH	Not available
Viscosity	Not applicable
Melting Point/Freezing Point	Not available
Boiling Point	Not available
Evaporation Rate	Not available
Upper/Lower Flammability Limits	Not available
Vapor Pressure	Not available
Vapor Density	Not available
Relative Density	Not available
Solubility	Insoluble
Specific Gravity	0.90 -1.03

**SECTION 10. STABILITY AND REACTIVITY****STABILITY**

Product is stable under ambient conditions when stored properly.

**HAZARDOUS DECOMPOSITION**

Thermal decomposition generates: Corrosive vapors.

**HAZARDOUS POLYMERIZATION**

Reacts violently with acids

**CONDITIONS TO AVOID**

Direct sunlight. Extremely high or low temperatures.

**INCOMPATIBLE SUBSTANCES**

Strong acids

**SECTION 11. TOXICOLOGICAL INFORMATION****TOXICITY DATA**



SAFETY DATA SHEET

EzFlow Primer

This product does not contain known human carcinogens.

ACUTE TOXICITY

Principle Routes of Exposure	Absorbed through skin; ingestion.
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Skin Contact	Causes severe skin burns. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
Eye Contact	Causes serious eye damage. Remove contact lenses, if present and easy to do. Immediately call a POISON CENTER or doctor/physician.

CHRONIC TOXICITY

Corrosivity	Severe skin burns and serious eye damage
Neurological Effects	No information available
Reproductive Toxicity	None Known
Mutagenic Effects	None Known
Developmental Toxicity	None Known
Teratogenicity	None Known
Carcinogenicity	None Known

SECTION 12. ECOLOGICAL INFORMATION

ACUTE TOXICITY

No information available

PERSISTENCE AND DEGRADABILITY

No information available

BIOACCUMULATIVE POTENTIAL

No information available

BIOACCUMULATIVE POTENTIAL

No information available

MOBILITY

No information Available

OTHER ADVERSE EFFECTS

Avoid release into the environment

**SAFETY DATA SHEET***EzFlow Primer***SECTION 13. DISPOSAL CONSIDERATIONS***WASTE DISPOSAL*

If this material becomes a waste, it does not meet the criteria of a hazardous waste as defined under the resource conservation and recovery act (RCRA 40 CFR 261, since it does not have the characteristics of subpart C, nor is it listed under subpart D. State or local hazardous waste regulations may apply if they are different from the federal regulations.

*SPECIAL CONSIDERATIONS*

Avoid release into the environment

**SECTION 14. TRANSPORT INFORMATION***DOT*

Proper Shipping Name: Methacrylic acid, stabilized  
Hazard Class: 8, Primary Hazard - Corrosive  
UN ID: UN2531  
Packaging Group: II

*IATA*

Proper Shipping Name: Methacrylic acid, stabilized  
Hazard Class: 8, Primary Hazard - Corrosive  
UN ID: UN2531  
Packaging Group: II

*IMDG/IMO*

Proper Shipping Name: Methacrylic acid, stabilized  
Hazard Class: 8, Primary Hazard - Corrosive  
UN ID: UN2531  
Packaging Group: II

**SECTION 15. REGULATORY INFORMATION***SARA 313*

None

*SARA 311/312 HAZARD CATEGORIES*

This product contains substances regulated under 29 CFR 1910.1200 (OSHA Hazard Communication) as immediate (Acute) health hazards.

*CERCLA*

None

*TSCA INVENTORY STATUS*



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: 01

# SAFETY DATA SHEET

Date: 6-16-2015

Page 8 of 8

*EzFlow Primer*

1000 lbs. Listed in the United States TSCA (Toxic Substances Control Act) inventory.

*OTHER FEDERAL REQUIREMENTS*

**OSHA Hazard Communication Status:**

This product is considered hazardous under the criteria of the federal OSHA hazard communication standard 29 CFR 1910.1200.

*WHMIS (Canada)*

Class E, Corrosive Material

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR. This product is regulated by the Food and Drug Administration of Health Canada and is therefore exempt from the requirements of CEPA.

*STATE REGULATORY INFORMATION*

None.

*EUROPEAN UNION REQUIREMENTS 67/548/EEC*

See section 2 of this document.

## SECTION 16. OTHER INFORMATION

*DISCLAIMER*

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.