



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: New

SAFETY DATA SHEET

Date: 8-24-2015

Page 1 of 8

EzFlow Spa Elements Buttermint Buffing Scrub

SECTION 1. IDENTIFICATION

PRODUCT DESCRIPTION

EZFLOW SPA ELEMENTS BUTTERMINT BUFFING SCRUB

ITEM NUMBER

66155, 66156 (30-4331); Found in Kit #66161

PRODUCT TYPE

Finished Good

RECOMMENDED USE

Personal Care Beauty Product

USES ADVISED AGAINST

All other uses

MANUFACTURER

American International Industries
2220 Gaspar Ave
Los Angeles, CA 90040
Phone: (323) 728-2999

EMERGENCY PHONE

CHEM-TEL: 1-(800)-255-3924

SECTION 2. HAZARD IDENTIFICATION

<i>HAZARD CLASS</i>	<i>CATEGORY</i>	<i>PICTOGRAM</i>
Not Classified	Not Classified	None
Signal word	None	
Hazard Statement	Non Hazardous	
Hazard Codes	None	
Precautionary Statements	P102 Keep out of reach of Children	
Other Hazards	HMIS: Health: 0 Flammability: 0 Physical hazard: 0	
Hazard Symbol	None	
Risk Phrases	None	
Safety Phrases	None	



SAFETY DATA SHEET

EzFlow Spa Elements Buttermint Buffing Scrub

SECTION 3. COMPOSITION

This product does not contain hazardous chemicals according to the OSHA Hazardous Communication Standard 29 CFR §1910.1200.

COMPOSITION OF HAZARDOUS CHEMICALS

Chemical Name	INCI Name	CAS No.	% w/w
None	None	None	None

SECTION 4. FIRST AID MEASURES

GENERAL ADVISE

Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician.

ROUTES OF ENTRY

EYE CONTACT	Rinse with plenty of water for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. May be mildly irritating in sensitive individuals.
SKIN CONTACT	Wash off affected areas with plenty of water, if discomfort or irritation occurs.
INHALATION	Remove to fresh air. Seek medical attention id discomfort persists.
INGESTION	Rinse mouth out with water. Only induce vomiting if directed by a physician. Never give anything by mouth to an unconscious person. Seek medical attention.

MOST IMPORTANT SYMPTOMS/EFFECTS ACUTE OR DELAYED

Non known

NOTES TO PHYSICIAN

Treat symptomatically

SECTION 5. FIRE-FIGHTING MEASURES

FLAMMABILITY

Non flammable

FLASH POINT

Non Applicable

