



AMERICAN INTERNATIONAL INDUSTRIES

Rev. No.: New

# SAFETY DATA SHEET

Date: 5-21-2015

Page 1 of 8

*Clubman Moustache Wax- Brown, Neutral, Chestnut, Black*

## SECTION 1. IDENTIFICATION

*PRODUCT DESCRIPTION*

CLUBMAN MOUSTACHE WAX – BROWN, NEUTRAL, CHESTNUT, BLACK

*ITEM NUMBER*

070642, 070624, 070639, 070622

*PRODUCT TYPE*

Finished Good

*RECOMMENDED USE*

Personal Care Products

*USES ADVISED AGAINST*

All other uses

*MANUFACTURER*

American International Industries  
2220 Gaspar Ave  
Los Angeles, CA 90040  
Phone: (323) 728-2999

*EMERGENCY PHONE*

CHEM-TEL: 1-(800)-255-3924

## SECTION 2. HAZARD IDENTIFICATION

<i>HAZARD CLASS</i>	<i>CATEGORY</i>	<i>PICTOGRAM</i>
Not Classified	Not Classified	None
Signal word	None	
Hazard Statement	Non Hazardous	
Hazard Codes	None	
Precautionary Statements	P102 Keep out of reach of Children	
Other Hazards	HMIS: Health: 0 Flammability: 0 Physical hazard: 0	
Hazard Symbol	None	
Risk Phrases	None	
Safety Phrases	None	

**SAFETY DATA SHEET***Clubman Moustache Wax- Brown, Neutral, Chestnut, Black***SECTION 3. COMPOSITION**

This product does not contain hazardous chemicals according to the OSHA Hazardous Communication Standard 29 CFR §1910.1200.

## COMPOSITION OF HAZARDOUS CHEMICALS

Chemical Name	INCI Name	CAS No.	% w/w
None	None	None	None

**SECTION 4. FIRST AID MEASURES***GENERAL ADVISE*

Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician.

*ROUTES OF ENTRY*

EYE CONTACT	Rinse with plenty of water for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing. May be mildly irritating in sensitive individuals.
SKIN CONTACT	Mild skin irritation may occur in sensitive individuals. Wash with soap and water.
INHALATION	Not applicable
INGESTION	Clean mouth with water and afterwards drink plenty of water. May cause diarrhea. Do not induce vomiting. Contact a physician.

*MOST IMPORTANT SYMPTOMS/EFFECTS ACUTE OR DELAYED*

Non known

*NOTES TO PHYSICIAN*

Treat symptomatically

**SECTION 5. FIRE-FIGHTING MEASURES***FLAMMABILITY*

Non flammable

*FLASH POINT*

>200°C

