



# AMERICAN INTERNATIONAL INDUSTRIES

## Safety Data Sheet Super Nail ProDip Activator

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product identifier

Product name Super Nail ProDip Activator

Product number 65879, 66816

#### Relevant identified uses of the substance or mixture and uses advised against

Uses: Nails

#### Details of the supplier of the safety data sheet

Name American International Industries  
Address 2220 Gaspar Ave  
Los Angeles, CA 90040  
USA

Telephone 323-728-2999

#### Emergency telephone number

Chem-Tel: 1(800) 255-3924

---

### SECTION 2: Hazards identification

#### Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 (CLP) and OSHA Hazardous Communication Standard 29 CFR §1910.1200.**

- Eye damage/irritation (chapter 3.3), Cat. 2, H319
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3, H335,H336
- Flammable liquids (chapter 2.6), Cat. 2, H225

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

#### Label elements

**Labeling according to Regulation (EC) No 1272/2008 [CLP] and OSHA Hazardous Communication Standard 29 CFR §1910.1200.**

#### Hazard pictograms



**Safety Data Sheet**  
**Super Nail ProDip Activator**

**Signal word**

**Danger**

**Hazard statement(s)**

H319  
H335  
H336  
H225

Causes serious eye irritation  
May cause respiratory irritation  
May cause drowsiness or dizziness  
Highly flammable liquid and vapor

**Precautionary statement(s)**

P102  
P261  
P271  
P280  
P304+P340  
P305+P351+P338  
  
P312  
P337+P313  
P403+P233  
P405  
P210  
  
P233  
P240  
P241  
P242  
P243  
P303+P361+P353  
  
P403+P235

Keep out of reach of children.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
Call a POISON CENTER/doctor/... if you feel unwell.  
If eye irritation persists: Get medical advice/attention.  
Store in a well ventilated place. Keep container tightly closed.  
Store locked up.  
Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/.../equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Store in a well ventilated place. Keep cool.

**SECTION 3: Composition/information on ingredients**

**Mixtures**

**Components**

Component	Concentration
<b>Ethyl Acetate (CAS no.: 141-78-6; EC no.: 205-500-4; Index no.: 612-056-00-9)</b> CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 2; Eye damage/irritation (chapter 3.3), Cat. 2; Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3. HAZARDS: H225 - Highly flammable liquid and vapor; H319 - Causes serious eye irritation; H336 - May cause drowsiness or dizziness.	<b>95 - 100 %</b>
<b>Dimethyltolylamine (CAS no.: 99-97-8; EC no.: 202-805-4; Index no.: 607-022-00-5)</b> CLASSIFICATIONS: Acute toxicity (chapter 3.1), Cat. 3; Specific target organ toxicity, repeated exposure (chapter 3.9), Cat. 2; Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 3. HAZARDS: H301 - Toxic if swallowed; H311 - Toxic in contact with skin; H331 - Toxic if inhaled; H373 - May cause damage to organs through prolonged or repeated exposure; H412 - Harmful to aquatic life with long lasting effects.	<b>1 - 5 %</b>

**SECTION 4: First aid measures**

**Description of first aid measures**

**General notes**

Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician.

**Following inhalation**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# Safety Data Sheet

## Super Nail ProDip Activator

Following skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.
Following eye contact	Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Following ingestion	Get medical attention immediately. If swallowed, do NOT induce vomiting. Contact a physician or a poison control center immediately. Never give anything by mouth to an unconscious person.
Self-protection of the first aider	Use personal protective equipment.

### **Most important symptoms and effects, both acute and delayed**

If inhaled for long periods of time, can cause dizziness/drowsiness, headache and nausea.

---

## **SECTION 5: Firefighting measures**

### **Extinguishing media**

Dry chemical, carbon dioxide, Halon foam. Water may be ineffective. Water spray may be used to keep fire exposed containers cool and to disperse vapors.

### **Special hazards arising from the substance or mixture**

Vapors can travel to a source of ignition and flashback. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of.

### **Advice for firefighters**

First responders should wear eye protection. Structural fire-fighters must wear MSHA/NIOSH approved SCBA and full protective equipment. Use a water spray or fog to reduce vapors. Water may not be effective in extinguishing a fire involving this product.

---

## **SECTION 6: Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Household: Absorb with inert material and place in a appropriate waste disposal

Industrial: Avoid contact with skin, eyes, and clothing. Remove all sources of ignition. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system

### **Environmental precautions**

Household: Do not place spilled product in any drain or water system that can go into the environment.

Industrial: Should not be released into the environment.

### **Methods and material for containment and cleaning up**

Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii. Stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. Keep out of drains, sewers, or waterways. Use sand or other inert material to dam and contain spill. Do not flush with water; use absorbent pads. For large spills call response team and notify appropriate state/local agencies. Immediately notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

---

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

# Safety Data Sheet

## Super Nail ProDip Activator

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product.

### Conditions for safe storage, including any incompatibilities

Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore handle empty container with care.

Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### CAS: 141-78-6

Ethyl acetate

Cal/OSHA: 400 ppm PEL inhalation; NIOSH: 400 ppm REL inhalation; OSHA: 400 ppm PEL inhalation; 1400 mg/m<sup>3</sup> PEL inhalation

### Exposure controls

#### Appropriate engineering controls

Distribution, Workplace and Household Settings: Ensure adequate ventilation. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

### Personal protection equipment

#### Eye and face protection

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

#### Skin protection

Skin Protection: None required with normal household use. Industrial Setting: Protective gloves (for hands) and protective clothing are required where repeated or prolonged skin contact may occur.

#### Body protection

No special body protection is required for this product under typical use and handling.

#### Respiratory protection

No respiratory protection is required under typical circumstances of use and handling. If necessary, use only respiratory protection authorized by U.S. OSHA 29 CFR §1920.134, or applicable U.S. local state regulations,

---

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Mobile liquid
Odour	Sweet ester
Odour threshold	No data available.
pH	Not applicable
Melting point / freezing point	No data available.
Initial boiling point and boiling range	No data available
Flash point	20 C (68 F)

# Safety Data Sheet

## Super Nail ProDip Activator

Evaporation rate	No data available.
Flammability (solid, gas)	Flammable
Upper/lower flammability limits	No data available.
VOC	No data available.
Vapour pressure	No data available.
Vapour density	No data available.
Relative density	No data available.
Solubilit(ies)	Slightly
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.
Specific Gravity	0.78 – 1.00

---

### SECTION 10: Stability and reactivity

#### Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

#### Incompatible materials

Acids, Alkalies, and Peroxides

#### Hazardous decomposition products

If exposed to extremely high temperatures, the products of decomposition may include irritating vapors and carbon oxide gases (e.g. CO<sub>2</sub>, CO).

---

### SECTION 11: Toxicological information

#### Information on toxicological effects

##### Acute toxicity

Vapors may cause drowsiness and dizziness.

##### Skin corrosion/irritation

Causes skin irritation and exposure to the skin can cause dermatitis.

##### Serious eye damage/irritation

May be irritating to eyes

##### Germ cell mutagenicity

No data available.

##### Carcinogenicity

None known.

Prop 65: This product contains a chemical known to the state of California to cause cancer.  
(N,N-Dimethyl-p-toluidine 99-97-8)

##### Reproductive toxicity

No data available.

# Safety Data Sheet

## Super Nail ProDip Activator

### **STOT-single exposure**

May cause respiratory irritation

### **STOT-repeated exposure**

No data available.

### **Aspiration hazard**

No data available.

---

## **SECTION 12: Ecological information**

### **Toxicity**

Do not let product enter drains.

### **Persistence and degradability**

No data available.

### **Bioaccumulative potential**

No data available.

### **Mobility in soil**

No data available.

---

## **SECTION 13: Disposal considerations**

### **Waste treatment methods**

### **Disposal of the product**

Dispose of in accordance with federal, state and local regulations.

---

## **SECTION 14: Transport information**

### **DOT (US)**

UN Number: 1173

Class: 3

Packing Group: II

Proper Shipping Name: Ethyl acetate

### **IMDG**

UN Number: 1173

Class: 3

Packing Group: II

Proper Shipping Name: Ethyl acetate

### **IATA**

UN ID: ID8000

Class: 9

Packing Instructions: Y963

Proper Shipping Name: Consumer Commodity

---

## **SECTION 15: Regulatory information**

# Safety Data Sheet

## Super Nail ProDip Activator

Safety, health and environmental regulations/legislation specific for the substance or mixture

### Massachusetts Right To Know Components

Chemical name: Ethyl acetate

CAS number: 141-78-6

### New Jersey Right To Know Components

Common name: ETHYL ACETATE

CAS number: 141-78-6

### Pennsylvania Right To Know Components

Chemical name: Acetic acid ethyl ester

CAS number: 141-78-6

**Prop 65:** This product contains a chemical known to the state of California to cause cancer. (N,N-Dimethyl-p-toluidine 99-97-8).

### Toxic Substances Control Act (TSCA) Inventory

The components of this product are listed on the TSCA Inventory as appropriate.

### WHMIS (Canada)

B2- Flammable and combustible material – Flammable liquid

---

## SECTION 16: Other information

### Full text of hazard statements referenced in Section 2

H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

### Reference Numbers and Item Description

#### Further information/disclaimer

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.